

INDEX

- Aftershocks, 2.105, 6.24–6.27
Afterwinds, 2.09, 2.18
Air blast, *see* Blast
Air burst, 1.31–1.35, 1.78, 2.03–2.17, 2.32–2.51, *see also* High-altitude burst
 afterwinds, 2.09, 2.18
 blast wave, 2.32–2.37, *see also* Blast
 damage, *see* Damage; Structures
 definition, 1.31
 EMP, 11.66, 11.67
 energy distribution, 1.24–1.27
 fireball, 2.03–2.05, 2.110–2.129
 ground shock, 3.51, 3.52
 injuries, *see* Injuries
 nuclear radiation, 2.41–2.45, *see also* Nuclear radiation
 radioactive cloud, *see* Cloud
 contamination, 9.48, 9.49
 radio and radar effects, *see* Radio and radar
 thermal radiation, 2.38–2.40, *see also* Thermal radiation
Aircraft, damage, 5.94, 5.95, 5.151–5.154
Alpha particles (or radiation), 1.65, 2.41, 8.01, 8.03, 9.40–9.42, 9.114
 attenuation, 2.42, 9.114
 contamination, 9.42
 hazard, 9.114, 12.97, 12.165, 12.173
 RBE, 12.97
 sources, 2.41, 8.01, 9.40–9.43
Animals, nuclear explosion effects, 12.240–12.254
Arch, loading, 4.62–4.66
Arching effect, soil, 6.96–6.99
Area integral, fallout, 9.160
ARGUS effect, 2.146, 2.147
Atmosphere, density vs. altitude, 3.66, 10.123, 10.124
 ionization, 10.09–10.12, *see also* Ionosphere
 pressure vs. altitude, 3.66
 properties, 3.66
 scale height, 10.123
 structure, 9.126–9.129
 visibility, 7.12
Atom, 1.07
Atomic bomb (or weapon), 1.11, *see also* Nuclear weapons
 cloud, *see* Cloud
 explosion, *see* Nuclear explosion
 number, 1.09
 structure, 1.06–1.09
Atomic Bomb Casualty Commission, 12.142
Attenuation, radiation, *see* Alpha particles; Beta particles; Gamma rays, Neutrons; Transmission factors
Aurora, artificial, 2.62, 2.142–2.145
Ball of fire, *see* Fireball
Base surge, *see* Surface burst; Underground burst; Underwater burst
Beta burns, 12.155–12.162
Beta particles (or radiation), 1.29, 1.43, 1.61–1.66, 2.42, 8.01, 9.13
 attenuation, 2.42, 9.115, 9.116
 and geomagnetic field, *see* Geomagnetic field
 hazard, external, 12.155–12.162
 internal, 12.163–12.172
 RBE, 12.97
 sources, 1.61–1.63
 stopping altitude, 10.29
Beta patch, 2.141
Biological effectiveness, relative (RBE), 12.95
Biological effects of nuclear radiations, *see* Nuclear radiations
Biological half-life, 12.170
Blackout radio, *see* Radio and radar
Blast (and Blast wave), 1.01, 1.25, 2.32–2.37, 3.01–3.85, 6.02, 6.80, 6.81, *see also* Dynamic pressure; Overpressure; Shock wave
 altitude effect, 3.44–3.46, 3.64–3.68
 arrival time, 3.09, 3.14, 3.63, 3.77
 atmospheric effects on, 3.39–3.43
 bending of, 3.42, 3.43
 characteristics, 3.01–3.20
 damage, *see* Damage
 and height of burst, 3.30–3.34
 development, 3.01–3.20
 diffraction, 4.03, *see also* Loading
 duration, 3.14, 3.15, 3.63, 3.76
 front, 1.01, 2.32, 3.02, 3.03
 and ground shock, 3.51, 3.52
 impulse, 3.49
 injuries, *see* Injuries
 interaction with structures, 4.01–4.67
 loading, *see* Loading
 Mach effect, *see* Mach effect
 and meteorological conditions, 3.39–3.43
 negative phase, 3.04, 3.05
 nonideal, 3.47, 4.67
 positive phase, 3.05
 precursor, 3.49, 3.79–3.85, 4.67

- pressure, *see* Dynamic pressure; Overpressure properties, 3.53–3.59
 height of burst curves, 3.73–3.77
 Rankine–Hugoniot relations, 3.53–3.56
 reflection, 3.21–3.29, 3.78, *see also* Mach effect
 irregular, 3.24
 regular, 3.22
 refraction, 3.42, 3.43
 scaling laws, 3.60–3.63
 and structures, *see* Damage; Loading surface (or terrain) effects, *see* Terrain effects
 target response, 5.08–5.18, *see also* Damage
 velocity, 3.55
 wind, 3.07, 3.13, 3.55
- Blood, radiation effects, 12.124–12.132
 Boltzmann constant, 7.73
 –Stefan law, 7.82
 Bone seekers, 12.165
 Boosted weapons, 1.72
 Breakaway, fireball, 2.120, 2.121
 Bridges, damage, 5.127, 5.139, 5.140
 Buildings, damage, *see* Damage
 Burns, 7.32, 12.13, 12.14, 12.22, 12.51–12.89
 beta, 12.155–12.162
 classification, 12.51–12.58
 under clothing, 12.59–12.60
 to eyes, *see* Eye injuries
 flame, 12.51
 flash, 7.32, 12.13, 12.14, 12.18, 12.51, 12.74–12.78
 incapacitation from, 12.61, 12.62
 in Japan, 12.13, 12.14, 12.18, 12.68–12.73
 profile, 12.70
 and radiant exposure, 12.63–12.69
 Buses, damage, 5.87
- Cancer, nuclear radiation, 12.147–12.151
 Capture gamma rays, 8.08
 Carbon-14, in nature, 12.198
 in weapons residues, 12.197–12.199
 Casualties, 12.01–12.21, *see also* Injuries
 in buildings, 12.17
 in Japan, 12.08–12.22
 Cataracts, nuclear radiation, 12.144–12.146
 Cattle, *see* Animals
 Cavity, in underground burst, 2.102, 6.85–6.88
 Cesium-137, in delayed fallout, 9.124, 12.184–12.187
 Chain reaction, *see* Fission
 Chimney, in underground burst, 2.103, 6.88, 6.89
 Clean weapon, *see* Nuclear weapons
 Cloud, condensation, 2.47–2.50, 2.66
 radioactive, 2.06–2.17, 2.19, 2.43, 2.68, 2.97, 9.07–9.09
 dimensions, 2.16
 height, 2.16, 9.96, 10.158
 rate of rise, 2.12
 radioactivity in, 9.61
 radius, 2.16
 scavenging, 9.67–9.74
 stabilized, 2.15, 9.84, 9.91, 9.96
 Column, in underwater burst, 2.67, 2.68
 Compton effect, 8.89, 8.90, 8.95, 8.97, 8.103, 11.105
 and EMP, 11.60–11.63, 11.66
 Concrete, radiation shielding, 8.41, 8.68, 8.69, 8.72, 9.120
 structures, damage, *see* Damage
 Conjugate points (or regions), 2.143, 10.49, 10.64, 10.65
 Condensation cloud, 2.47–2.50, 2.66
 Contamination, radioactive, 9.48–9.113, 9.154–9.162, *see also* Fallout; Fission products; Radioactivity, induced
 in air bursts, 9.48, 9.49
 decay, 1.64, 9.15–9.130, 9.146–9.153
 distribution patterns, 9.75–9.113
 dose calculations, 9.15–9.30
 hot spots, 2.31, 9.66, 9.105
 in surface and subsurface bursts, 9.50–9.52, 9.61
 in underwater bursts, 9.53–9.55
 Crack, in underwater burst, 2.65
 Crater, 2.21, 2.90, 6.03–6.11, 6.70–6.79
 dimensions, 6.08–6.11, 6.70–6.72
 formation mechanism, 2.92–2.94
 plastic zone, 6.07, 6.70
 rupture zone, 6.07, 6.70
 underwater, 6.60, 6.61
 Critical mass (or size), 1.46–1.53
 attainment in weapon, 1.51–1.53
 Crops, *see* Plants
 Cross section, neutron, 8.112
 Curie, 9.141
- Damage, 5.01–5.161, 6.104–6.114
 administrative buildings, 5.19–5.27, 5.139–5.141
 aircraft, 5.94, 5.95, 5.151–5.154
 arches and domes, 6.101
 automobiles, 5.86–5.91, 5.146
 brick structures, 5.139, 5.140
 bridges, 5.127, 5.139, 5.140
 buses, 5.87
 chimneys, 5.34
 commercial buildings, 5.19–5.27, 5.139, 5.140
 communications equipment, 5.122–5.126, 5.148
 concrete buildings, 5.20–5.27, 5.139, 5.140
 diffraction-sensitive structures, 5.139–5.145
 –distance relationships, 5.140, 5.146
 domestic appliances, 5.114
 drag-sensitive structures, 5.146–5.154
 dwellings, *see* Damage, residences
 electrical distribution systems, 5.98–5.105
 fabrics, 7.33–7.36, 7.44–7.48
 forests, 5.146, 5.149, 5.150, 7.60
 frame buildings, 5.25, 5.26, 5.37–5.51, 5.139, 5.140

- gas systems, 5.108–5.121
houses, *see* Damage, residences
hydraulic structures, 6.122–6.125
industrial buildings, 5.04, 5.28–5.51, 5.139, 5.140
in Japan, *see* Japan, nuclear explosions
machine tools, 5.128–5.133
masonry buildings, 5.76–5.79, 5.139, 5.140
mobile homes, 5.80–5.84
oil tanks, 5.155
plastics, 7.39, 7.40
railroad equipment, 5.92, 5.93, 5.146
residences, 5.04, 5.52–5.84, 5.139, 5.140, 7.28
ships, 5.96, 5.97, 5.146, 6.63–6.65
smokestacks, 5.34
storage tanks, 5.155
subways, 6.106
transportation equipment, 5.85–5.97, 5.146, 5.147
tunnels, 6.109
utilities, 5.98–5.121
vehicles, 5.86–5.91, 5.146
water systems, 5.106, 5.107
- Decay, radioactive, 1.02, 1.62
fission products, 1.54 *see also* Fallout, decay
Decibel, 10.126
Detection ionizing radiation, *see* Measurement
Deuterium fusion reactions, 1.16, 1.67–1.71
Diffraction loading, *see* Loading
-sensitive structures, 5.139–5.145
Dirty weapons, 9.47
Dose (and dose rate), radiation, 8.17–8.19
absorbed, 8.18, 12.94
biologically effective, 12.93–12.97
exposure, 8.19, 12.93
from initial radiation, 8.33, 8.64, 8.121–8.127
from residual (fallout) radiation, 9.12–9.30
transmission factors, 8.72, 9.120
Dosimeter, 8.21, 8.24, 8.29
Drag loading, *see* Loading
-sensitive structures, 5.146–5.154
Ductility, materials and structures, 5.14–5.18
Dynamic pressure, 3.06–3.08, 3.13–3.20
decay rate, 3.07, 3.13, 3.58
-distance relationships, 3.75
duration, 3.76
and height of burst, 3.75
loading, *see* Loading, drag
Rankine–Hugoniot relations, 3.55
surface effects, 3.50, 3.82
and wind, 3.07, 3.13–3.17, 3.55
- Earth, shielding, 8.41, 8.72, 9.156, 9.161
Earthquakes, and underground bursts, 6.24–6.27
Effective half-life, 12.170
Electrical and electronic equipment, EMP effects, 11.26–11.59
nuclear radiation effects, 8.73–8.88, 8.133–8.144
- Electromagnetic pulse (EMP), 1.38, 2.46, 2.61, 11.01–11.76
and animals, 11.20
characteristics, 11.04, 11.07–11.09, 11.63–11.65
and Compton current, 11.60, 11.61
damage, 11.18–11.20, 11.26, 11.30–11.33, 11.49–11.59
electrical systems, 11.26, 11.32, 11.33, 11.49–11.53
electronic equipment, 11.30, 11.31
and electrical power systems, 11.49–11.53
energy collectors, 11.16, 11.17
coupling, 11.27–11.29
high-altitude bursts, 11.03, 11.13–11.15, 11.26, 11.70–11.76
medium-altitude bursts, 11.66, 11.67
protection, 11.19, 11.33–11.40
and radio stations, 11.54–11.57
surface bursts, 11.03, 11.10–11.12, 11.68, 11.69
system-generated, 11.21–11.25
and telephone systems, 11.58, 11.59
testing for response, 11.41–11.48
theory, 11.60–11.76
- Electromagnetic radiation, 1.73–1.79, *see also* Thermal radiation
Electromagnetic waves, *see* Radio and radar
Electron, 1.08, *see also* Beta particles
Electron volt, definition, 1.42
EMP, *see* Electromagnetic pulse
Energy distribution in nuclear explosions, 1.22–1.27, 7.88, 7.101, 7.102
Energy, fission, 1.43
fusion, 1.69
Energy yield, explosion, 1.20, 1.21, 1.45
Evasive action, nuclear radiation, 8.48
thermal radiation, 7.87
Explosion, atomic, *see* Nuclear explosion
Eye injuries, 7.32, 12.79–12.89
cataracts, 12.144
flashblindness, 12.83, 12.84, 12.87–12.89
keratitis, 12.80
retinal burns, 12.85–12.89
- Fabric damage, thermal, 7.33–7.36, 7.44, 7.48
Fallout, 2.18–2.31, 2.99, 9.01–9.166
air burst, 9.48, 9.49
attenuation of radiation from, 9.114–9.120
from BRAVO explosion, 9.114–9.120
cesium-137 in delayed, 9.124, 9.145, 12.184–12.187
contamination, 9.48–9.113
distribution, 9.75–9.113
contours, *see* Fallout patterns
decay, 1.64, 9.12–9.30, 9.145–9.153
half-residence time, 9.133
stratospheric, 9.130, 9.131, 9.135–9.139
tropospheric, 9.130–9.134

- from weapons tests, 9.140–9.141
 - distribution, 9.59–9.63, *see also* Fallout patterns
 - dose, 9.16–9.30, 9.146–9.162
 - rate, area integral, 9.160
 - early, 2.28, 9.03, 9.06–9.30
 - fractionation, 9.06–9.10
 - hazard, to animals, 12.244–12.254
 - to humans, 12.155–12.200
 - to plants, 12.255–12.265
 - and height of burst, 2.128
 - hot spots, 2.31, 9.66, 9.105
 - iodine in delayed, 9.123
 - local, *see* Fallout, early
 - particles, rate of fall, 9.163–9.166
 - patterns, 9.75–9.114
 - idealized, 9.83–9.103
 - limitations, 9.99–9.103
 - wind effect, 9.96–9.98
 - plutonium in, 9.40, 12.173
 - protection factors, 9.120
 - and rainfall, 9.67–9.74
 - rainout, 9.74
 - scavenging, 2.30, 9.67–9.74
 - stratospheric, 9.130, 9.131, 9.135–9.139
 - strontium-90 in delayed, 9.124, 9.140–9.145, 12.188–12.196
 - surface burst, 2.23–2.31, 9.50–9.52
 - surface (or terrain) effect, 9.95, 9.101, 9.156, 9.161
 - tropospheric, 9.130–9.134
 - underground burst, 2.99, 9.05, 9.51, 9.52
 - underwater burst, 2.82, 2.85, 9.05, 9.53–9.58
 - uranium in, 9.40–9.43
 - washout, 9.74
 - worldwide, *see* Fallout, delayed
- Farm animals, *see* Animals
- Film badge, 8.26
- Fireball, 1.32, 1.36, 1.40, 2.03–2.05, 2.18, 2.36, 2.38–2.40, 2.54–2.59, 2.110–2.137, 7.73–7.105
- air burst, 2.03–2.05, 2.106–2.129, 7.83, 7.86
 - breakaway in, 2.120
 - debris uptake, 2.09, 2.18, 2.19, 9.50, 9.59
 - development, 2.110–2.121
 - dimensions, 1.32, 2.05, 2.127–2.129
 - high-altitude burst, 2.53–2.59, 2.132, 2.136, 7.22
 - ionization, 10.21–10.24, 10.40–10.44, 10.53–10.55, 10.62
 - shock front development, 2.115–2.120
 - surface burst, 2.18, 7.20
 - thermal power, 7.82–7.85
 - thermal radiation, 2.38–2.40, 7.01–7.04, 7.75, 7.76, 7.80–7.84
 - underground burst, 2.91, 7.21
 - underwater burst, 2.64, 7.21
 - X-ray, 2.110–2.119
- Fires, 7.49–7.70
- in Japan, 7.61–7.80
 - mass, 7.58–7.60
 - origin, 7.49–7.53
 - spread, 7.54–7.60
- Firestorm, 7.58, 7.71
- Fission, 1.13, 1.14, 1.21, 1.42–1.56
- chain, 1.42, 1.46–1.50, 1.54–1.59
 - energy, 1.15, 1.20, 1.21
 - distribution, 1.42–1.45
 - TNT equivalent, 1.45
 - explosion time scale, 1.54–1.59
 - fragments, 1.42, 1.43
 - generation time, 1.54
 - products, 1.15, 1.26, 1.29, 1.43, 1.60–1.66, 2.06, 2.10, 2.11, *see also* Fallout, decay
 - weapons, *see* Nuclear weapons
- Flame burns, *see* Burns, flame
- Flash blindness, 12.83, 12.84, 12.87–12.89
- Flash burns, *see* Burns, flash
- Fluorescence radiation, high-altitude burst, 2.131, 2.138–2.141
- Fog, and thermal radiation, 7.16, 7.17
- Food plants, *see* Plants
- Forests, damage, 5.146, 5.149, 5.150, 7.60
- Fractionation, fallout, 9.06–9.10
- Fusion reactions, 1.13, 1.16–1.18, 1.67–1.72
- weapons, *see* Thermonuclear weapons
- Gamma rays (or radiation), 1.28–1.30, 1.43, 1.61–1.66, 1.71, 8.01, 8.04, 8.08–8.48
- attenuation, 8.38–8.42, 8.95–8.104, 9.117–9.120
 - coefficients, 8.95–8.102
 - biological effectiveness, 12.94
 - buildup factor, 8.103, 8.104
 - capture, 8.08
 - delayed, 8.13
 - delivery rate, 8.46–8.48
 - dose–distance relationships, 8.31–8.37, 8.125–8.132
 - evasive action, 8.48
 - half-value thickness, 8.39
 - hazard, 12.91–12.92
 - hydrodynamic enhancement, 8.36, 8.47
 - inelastic scattering, 8.09
 - interaction with matter, 8.17, 8.89–8.104
 - ionization by, 8.17, 8.21
 - measurement, 8.20–8.30
 - prompt, 8.12
 - RBE, 12.94
 - scattering, 8.44, 8.45
 - shielding, 8.05, 8.38–8.45, 8.72, 9.120
 - skyshine, 8.44
 - sources, 1.61–1.63, 8.08–8.16, 9.16
 - spectrum, nuclear explosion, 8.105
 - stopping altitude, 10.29
 - tenth-value thickness, 8.39–8.42, 8.102–8.104

- transmission factors, 8.72, 9.120
and weapon yield, 8.63, 8.64
- Gas systems, damage, 5.108–5.121
- Geiger counter, 8.21
- Genetic effects, radiation, 12.208–12.219
- Geomagnetic field, and auroral phenomena, 2.142–2.145
and beta particle motion, 2.143, 10.27, 10.46–10.51
conjugate regions, 2.141, 2.143, 10.27, 10.47, 10.64
and ionization, 10.46–10.51, 10.55, 10.63–10.66
and weapon debris, 10.55, 10.63, 10.64, 10.70
- Glass, missile hazard, 12.42, 12.43, 12.238
- Ground motion, in surface burst, 6.12–6.17
in underground burst, 6.33–6.40, 6.90–6.93
- Ground shock, *see* Shock
- Ground zero, 2.34
- Gun-barrel assembly, 1.52
- Half-life, biological, 12.170
effective, 12.170
radioactive, 1.63
- Half-residence time, delayed fallout, 9.133
- Half-value thickness, 8.39
- Harbor damage, *see* Hydraulic structures
- Height of burst and blast damage, 3.30–3.33
and blast wave arrival time, 3.77
and dynamic pressure, 3.75
duration, 3.76
and fallout, 2.128
optimum, 3.73
and overpressure, 3.73
duration, 3.76
scaling, 3.62
- Hematological effects, radiation, 12.124–12.132
- High-altitude burst, 1.24, 1.36, 1.37, 2.52–2.62, 2.130–2.150
auroral phenomena, 2.62, 2.142–2.145
beta patch, 2.141
blast, 3.68
definition, 1.36, 2.130
and EMP, *see* Electromagnetic pulse
energy distribution, 1.36, 2.130, 7.89–7.92
eye injuries, 12.87
fireball, 2.53–2.59, 2.131, 2.136, 7.22
FISHBOWL series, 2.52
fluorescence radiation, 2.131, 2.138–2.141
ionization, atmospheric, 10.40–10.74
and ozone layer, 2.148–2.150
phenomena, 1.36, 1.37, 2.52–2.60, 2.130–2.150
radio and radar effects, 10.89–10.121
shock wave, 2.136
thermal radiation, 2.131–2.135, 7.89–7.92, 7.102–7.105
X-ray pancake, 2.130, 7.91, 7.103
- Hiroshima, nuclear explosion, 2.24, *see also* Japan
- Hot spots, 2.31, 9.66, 9.105
- House damage, *see* Damage, residences
- Hydraulic fill, craters, 6.09
- Hydraulic structures, damage, 6.122–6.125
- Hydrodynamic enhancement, 8.36, 8.47, 8.128–8.131
phase, fireball, 2.117
separation, 2.115
- Hypocenter, explosion, 2.34
- Hydrogen bomb, *see* Thermonuclear weapons isotopes, 1.16, 1.17, 1.67–1.69
- Ignition, materials, 7.33–7.40
- Implosion, 1.53
- Impulse, 3.59, 3.63, 3.65, 3.66
and structure loading, 4.54, 4.56, 4.66
- Incendary effects, *see* Fires
- Induced radioactivity, 8.16, 9.31–9.39
- Industrial buildings, damage, 5.04, 5.28–5.51, 5.139, 5.140
- Initial nuclear radiation, 1.02, 1.26–1.29, 1.34, 1.37–1.39, 2.41–2.45, 8.01–8.72, 8.89–8.124, 9.04, *see also* Gamma rays; Neutrons
- Injuries, 12.01–12.239, *see also* Burns; Casualties; Radiation injury
blast, direct 12.24–12.38, 12.239
indirect, 12.39–12.50, 12.238
blood, *see* Blood
burn, 12.51–12.78, *see also* Burns
causes, 12.18
combined, 12.133–12.143
eardrums, 12.38
eye, *see* Eye injuries
in Japan, 12.08–12.23, 12.68–12.78, 12.114–12.132, 12.144–12.154
ionizing radiation, 12.91, *see also* Radiation injury
lung damage, 12.38
from missiles, 12.41–12.48
nuclear radiation, *see* Burns, beta; Radiation injury
protection by buildings, 12.17
thermal radiation, *see* Burns
- Iodine in delayed fallout, 9.123
- Ionization, 1.38, 8.17, 10.04
atmospheric, 10.09–10.20, *see also* Geomagnetic field
and electromagnetic waves, 10.04–10.08, 10.125–10.137
in nuclear explosions, 10.21–10.74
below 10 miles, 10.34–10.39
10 to 40 miles, 10.40–10.52
40 to 65 miles, 10.53–10.61
above 65 miles, 10.62–10.74
- Ionizing radiation, 12.91, *see also* Nuclear radiation

- Ionosphere, 10.09–10.20
 electron density, 10.09
 delayed radiation effects, 10.154–10.164
 nuclear explosion effects, *see* Ionization, in nuclear explosions
 prompt radiation effects, 10.138–10.153
 radio and radar effects, *see* Radio and radar
- Ion pairs, 1.38, 8.17
- Iron, radiation shielding, 8.41, 8.104
- Isothermal sphere, fireball, 2.114–2.120, 2.124
- Isotopes, 1.09
 hydrogen, 1.16, 1.17, 1.67–1.69
- Japan, nuclear explosions, 2.24
 casualties, 12.08–12.23
 nuclear radiation injuries, 12.114–12.132, 12.144–12.154
 structural damage, 5.28–5.34, 5.52, 5.53, 5.85, 5.98, 5.106–5.108, 5.127
 thermal radiation, burns, 12.68–12.78
 incendiary effects, 7.61–7.72
 materials effects, 7.44–7.48
- Keloid formation, 12.78
- Keratitis, 12.80
- Leukemia, nuclear radiation, 12.147–12.149
- Lithium deuteride, 1.70, 1.71
- Loading, blast, 4.01–4.67, 6.94–6.103
 arched structures, 4.62–4.66
 buried structures, 6.94–6.103
 development, 4.22–4.37
 shape effect, 4.35–4.37
 size effect, 4.31–4.34
 diffraction, 4.03, 4.05–4.11
 drag, 4.12–4.14, 4.29
 nonideal blast wave, 4.67
 structures, 4.15–4.20, 4.41–4.67
 box-like, closed, 4.41–4.45
 partially open, 4.46–4.51
 cylindrical, 4.57–4.16
 open-frame, 4.52–4.56
- Lung injuries, 12.15, 12.28, 12.38
- Mach effect, 2.33–2.37, 3.24–3.31, 3.34
 front (or stem), 2.33–2.37, 3.25
 and height of burst, 3.29
 triple point, 3.25
- Machine tools damage, 5.128–5.133
- Marshall Islands, inhabitants, 12.175–12.183
- Masonry buildings, damage, 5.76–5.79, 5.139, 5.140
- Mean free path, 2.113, 7.79
- Measurement, ionizing radiation, 8.20–8.30, 8.58–8.62
- Megacurie, 9.141
- Mesosphere, 3.42, 9.126
- Meteorological effects, blast wave, 3.39–3.43
 fallout, 9.66–9.74, 9.102, *see also* Hot spots; Scavenging
 fires, 7.54, 7.58, 7.71, 7.72
- Million electron volt (or MeV), 1.42
- Mobile homes, damage, 5.80–5.84
- Monitoring, ionizing radiation, *see* Measurement
- Mutations, *see* Genetic effects
- Nagasaki, nuclear explosion, 2.24, *see also* Japan
- Neoplasms, nuclear radiation, 12.147–12.151
- Neutron, 1.08, 1.31, 8.01, 8.04, 8.49–8.72
 absorption (or attenuation), 8.66–8.72, 9.120
 capture, 8.08, 8.11, 8.16, 8.54, 8.56, 9.31–9.39
 cross section, 8.112
 delayed, 8.50
 dose–distance relationships, 8.121–8.124
 fast, 8.52
 fluence, 8.61
 flux, 8.60
 measurement, 8.58–8.62
 hydrodynamic enhancement, 8.50
 induced activity, 8.16, 9.31–9.39
 initial nuclear radiation, 8.01, 8.04, 8.49–8.72
 interaction with matter, 8.107–8.113
 ionization, 8.58, 8.59
 measurement, 8.58–8.62
 prompt, 8.50
 RBE, 12.97
 scattering, 2.41, 8.09, 8.52, 8.53, 8.107, 8.108
 shielding, 8.66–8.72, 9.120
 slow, 8.52
 slowing down, 8.54
 sources, 8.01, 8.04, 8.49–8.57
 spectrum, 8.53, 8.114–8.120
 equilibrium, 8.118, 8.119
 thermal, 8.52
 from thermonuclear (fusion) reactions, 1.69, 1.72, 8.57, 8.116, 8.117, 8.119
 transmission factors, 8.72, 9.120
 transmission from source, 8.52–8.56, 8.117–8.120
- Nitrogen, neutron reaction, 8.11, 8.54, 8.56, 8.110, 9.34
- Nuclear explosion, blast wave, 1.01, *see also* Blast; Shock
 casualties, *see* Casualties
 characteristics, 1.01–1.23
 and conventional explosions, 1.01–1.03
 damage, *see* Damage
 description, air burst, 2.03–2.51, *see also* Air burst
 burst
 high-altitude burst, 2.52–2.62, *see also* High-altitude burst
 surface burst, 2.03–2.51, *see also* Surface burst
 underground burst, 2.90–2.105
 underwater burst, 2.63–2.89

- fireball development, *see* Fireball
 incendiary effects, *see* Fires
 injuries, *see* Injuries; Radiation injury
 ionization, *see* Ionization
 nuclear radiation, *see* Nuclear radiation
 pressures, 2.107
 principles, 1.46–1.59
 radio and radar effects, *see* Radio and radar
 shock wave, 1.01, *see also* Blast; Shock
 temperatures, 1.23, 2.107, 7.75
 thermal radiation, *see* Thermal radiation
 types, 1.31–1.41, 2.01, 2.02
- Nuclear radiation**, 1.02, 1.34–1.39, 2.41–2.45
 from air burst, 1.33–1.35, 2.44, 2.45
 biological effects, on animals, 12.240–12.254
 on man, *see* Radiation injury
 on plants, 12.240–12.243, 12.255–12.265
 initial, *see* Initial nuclear radiation
 injuries, *see* Radiation injury
 prompt, 2.41
 residual, *see* Residual nuclear radiation
 from surface burst, 2.23–2.31, 8.37, 8.65,
 9.50–9.52
 transmission factors, 8.72, 9.120
 from underground burst, 1.39, 2.99, 2.100
 from underwater burst, 2.77–2.79, 2.81, 2.82,
 2.89
- Nuclear weapons**, 1.02, 1.11, 1.19–1.21, 1.51–
 1.72, *see also* Nuclear explosions
 boosted, 1.72
 clean and dirty, 9.47
 criticality attainment, 1.51–1.53
 fission, 1.46–1.59
 fusion, 1.67–1.72, *see also* Thermonuclear
 weapons
 salted, 9.11
 thermonuclear, *see* Thermonuclear weapons
 yield, 1.20, 1.21
- Nucleus**, atomic, 1.08
- Nuclide**, 1.10
 radioactive, 1.30
- Oil-tank damage**, 5.155
- Overpressure**, 2.33, 3.01–3.05, 3.21–3.34,
 3.53–3.85, *see also* Blast; Loading; Mach effect
 decay rate, 3.09, 3.57
 distance relationships, 3.73
 duration, 3.76
 free air, 3.72
 and height of burst, 3.73, 3.76
 loading, *see* Loading, diffraction
 negative, 3.05
 peak, 3.02, 3.74
 arrival time, 3.77
- Rankine-Hugoniot relations**, 3.55, 3.56
 reflected, 3.56, 3.78
 scaling, 3.66
 surface (terrain) effects, 3.47–3.50, 3.79–3.85
- Ozone layer**, nuclear explosion effects, 2.148–
 2.150
- Pair production**, gamma-ray, 8.92
- Particles**, rate of fall, 9.163–9.166
- Pathology**, radiation injury, 12.220–12.237
- Photoelectric effect**, gamma-ray, 8.91
- Photon**, 1.74, 7.79
- Planck equation (or theory)**, 1.74, 7.73, 7.74
- Plants**, nuclear explosion effects, 12.240–12.243,
 12.255–12.265
- Plastic deformation**, 5.15
- Plastics**, thermal damage, 7.39
- Plastic zone**, crater, 6.07, 6.70
- Plutonium**, fission, 1.14, 1.15, 1.18, 1.42, 1.44,
 1.45
 hazard, 12.173
 in weapons residues, 9.40–9.43
- Polar front**, 9.127
- Precursor**, blast wave, 3.49, 3.79–3.85
 loading, 4.67
- Pressure**, blast and shock, *see* Dynamic pressure;
 Loading; Overpressure
- Profile burns**, 12.70
- Protection**, *see* Evasive action; Shielding
 factors, initial radiation, 8.72
 fallout, 9.120
- Proton**, 1.08
- Quantum**, 1.74
 theory, *see* Planck
- Rad**, 8.18
- Radar effects**, *see* Radio and radar
- Radiant exposure**, 7.35
 power, 7.74, 7.82–7.84, 7.86
- Radiation injury**, 12.90–12.237
 acute, 12.102–12.132
 blood, 12.124–12.132
 cancer (neoplasms), 12.147–12.151
 cataracts, 12.144–12.146
 clinical phenomena, 12.108–12.123
 delayed, 12.142–12.154
 from fallout,
 early, 12.155–12.183
 delayed, 12.184–12.200
 genetic, 12.208–12.219
 pathology, 12.220–12.237
 thyroid, 12.171, 12.181–12.183
- Radiation Effects Research Foundation**, 12.142
- Radiation**, nuclear, *see* Gamma rays; Neutrons;
 Nuclear radiation
- Radioactive capture**, neutrons, 8.08
- Radioactive cloud**, *see* Cloud
- Radioactive half-life**, 1.63
- Radioactivity**, 1.02, 1.28–1.30, 1.61–1.66, *see
 also* Fallout
 induced, 8.16, 9.31–9.39

- Radioflash, *see* Electromagnetic pulse
 Radionuclide, 1.30
 Radio and radar effects, 10.01–10.164, *see also*
 Ionization, in nuclear explosions
 attenuation, signal, 10.78, 10.79
 blackout, 10.01
 Doppler shift, 10.83
 degradation, signal, 10.75–10.77
 HF (high-frequency), 10.100–10.107
 hydromagnetic disturbance, 10.26
 initial radiation, 10.149–10.153
 LF (low-frequency), 10.97, 10.98
 MF (medium-frequency), 10.82–10.84
 noise, 10.80, 10.81
 phase changes, 10.82–10.84, 10.94
 radar systems, 10.114–10.122
 radio systems, 10.89–10.113, 10.122
 residual radiation, 10.154–10.164
 scattering, 10.87, 10.88
 summary, 10.122
 UHF (ultrahigh-frequency), 10.112, 10.113
 VHF (very-high-frequency), 10.92–10.111
 VLF (very-low-frequency), 10.92–10.96
 Railroad equipment, damage, 5.92, 5.93, 5.146
 Rainout, 9.74
 Rankine–Hugoniot relations, 3.53–3.56
 RBE (Relative biological effectiveness), 12.94
 Reflection, blast wave, *see* Blast wave; Mach effect
 Reinforced-concrete buildings, damage, 5.20–5.27, 5.139, 5.140
 Relative biological effectiveness (RBE), 12.94
 Rem, 12.95
 Residences, damage, 5.04, 5.52–5.84, 5.139, 5.140, 7.28
 Residual nuclear radiation, 1.02, 1.26–1.30, 1.35, 1.39, 9.01–9.166, *see also* Fallout; Radioactivity, induced
 Response, spectrum, 6.90
 structures, 5.08–5.18, *see also* Damage
 Retinal burns, *see* Eye injuries
 Roentgen, 8.17
 Rupture zone, crater, 6.07, 6.70

 Scattering, *see* Compton effect; Gamma radiation; Thermal radiation; Neutrons
 Scavenging, fallout, 2.30, 9.67–9.74
 Scintillation counter, 8.23
 Seismic effects, 2.102, 2.105, 6.19–6.27
 Semiconductor detector, 8.22
 Semiconductor, EMP effects, 11.31, 11.32
 radiation effects, 8.77–8.80
 Shake, 1.54
 Shielding, gamma rays, 8.05, 8.38–8.45, 8.72, 9.120
 neutrons, 8.66–8.72
 thermal radiation, 7.18, 7.19
 Ships, damage, 5.96, 5.97, 5.146, 6.63–6.65

 Shock (and Shock wave), 1.01, 1.33, 6.82–6.84, *see also* Blast
 front, 1.01, 3.03
 in fireball, 2.155–2.120
 ground, in air burst, 3.51, 3.52
 damage from, 6.104–6.114
 in surface burst, 6.12–6.17
 in underground burst, 6.18, 6.19, *see also* Seismic effects
 in underwater burst, 6.14–6.52, 6.115–6.118
 Skin burns, *see* Burns
 Skyshine, gamma-ray, 8.44
 Slick, in underwater burst, 2.65
 Smoke, and thermal radiation, 7.16, 7.17
 Soil, vaporization in surface burst, 2.18
 Spray dome in underwater burst, 2.66, 2.84
 Stagnation pressure, 4.25
 Stefan-Boltzmann law, 7.82
 Stopping altitude, 10.29
 Storage tank, damage, 5.155
 Stratosphere, 9.126
 fallout from, 9.130, 9.131, 9.135–9.139
 Stopping altitude, radiation, 10.29
 Strontium-90 in delayed fallout, 9.124, 9.140–9.145
 radiation hazard, 12.188–12.196
 Structural damage, *see* Damage
 Structures, *see* Damage; Loading
 Subsurface bursts, *see* Surface; Underground; Underwater
 Subways, damage, 6.106
 Surface (and shallow underground) burst, 1.40, 2.18–2.31, 2.90–2.100, 6.01–6.18
 air blast, 2.32–2.37, 3.34–3.74, 6.02, 6.80, 6.81
 characteristics, 2.18–2.37, 2.90–2.100, 6.01–6.18
 contact, 3.34, 3.74
 crater formation, 2.21, 2.90–2.94, 6.03–6.11, 6.70–6.79, *see also* Crater
 damage in, 6.28–6.31, 6.94–6.103
 EMP effect, 11.03, 11.10–11.12, 11.68, 11.69
 fallout, 2.23–2.31, 9.50–9.52, *see also* Fallout
 fireball, 2.18, 7.20
 ground motion, 6.82–6.84
 ground shock, 6.12–6.18
 nuclear radiation, initial, 8.37, 8.65, *see also* Nuclear radiation
 residual, 2.23–2.31, 9.50–9.52
 radioactive cloud, 2.19–2.22
 contamination, 9.50–9.52
 thermal radiation, 7.20, 7.42, 7.101
 Surface effects on blast, *see* Terrain effects
 Surface zero, 2.34
 Survey meter, 7.30

 Tamper, nuclear weapon, 1.50
 Tenth-value thickness, 8.38, 8.102

- Terrain effects, on blast, 3.35-3.38, 3.47-3.50, 3.79-3.85
 on fallout, 9.95, 9.101, 9.156, 9.161
- Thermal layer, 3.80
- Thermal pulses, in air burst, 2.38-2.40, 7.86, 7.87
 in high-altitude burst, 2.132, 2.133, 7.89
- Thermal radiation, 1.02, 1.22-1.25, 1.73-1.79, 7.01-7.105
 absorption, in materials, 7.23-7.31, 7.33, 7.34
 in air burst, 1.33, 2.38-2.40, 7.03-7.05, 7.85-7.100
 and atmospheric conditions, 7.11-7.17, 7.98
 attenuation, 7.08-7.19, 7.94, 7.98
 burns, *see* Burns, flash
 damage, 7.33-7.40
 definition, 7.02
 effects, 7.23-7.53
 in Japan, 7.44-7.48, 7.61-7.72
 energy fraction, air burst, 1.25, 7.04, 7.88
 high-altitude burst, 7.22, 7.90, 7.102, 7.104
 surface burst, 7.101
 evasive action, 7.87
 exposure-distance relationship, 7.41-7.43, 7.93-7.105
 and fabrics, 7.27, 7.33-7.35
 from fireball, 7.01-7.22, 7.73-7.92
 in high-altitude burst, 7.22, 7.89-7.92, 7.102-7.105
 ignition exposures, 7.35, 7.40
 incendiary effects, 7.49-7.72
 injuries, 7.32, 12.51-12.78
 materials ignition, 7.33-7.40, 7.44-7.49
 and plastics, 7.39
 primary, 1.77, 7.01, 7.75, *see also* Thermal X-rays
 prompt, 7.02
 pulses, *see* Thermal pulses
 radiant exposure, 7.35
 power, 7.74, 7.82-7.84, 7.86
 scattering, 7.08, 7.10-7.17, 7.19, 7.95, 7.98
 shielding, 7.18, 7.19
 smoke and fog effects, 7.16, 7.17
 in surface burst, 7.20, 7.101
 transmittance, 7.95-7.98, 7.101, 7.104, 7.105
 underground burst, 2.99
 underwater burst, 2.80
- Thermal X-rays, 1.77-1.79, 7.01, 7.75, 7.80, 7.81, 7.90-7.92, 7.104
 ionization, 10.53, 10.57, 10.60, 10.62, 10.69
- Thermonuclear (fusion) reactions, 1.17-1.19, 1.67-1.72
 weapons, 1.67-1.72
 fallout patterns, 9.94
 gamma rays, 8.33
 neutrons, 8.64, 8.116, 8.117, 8.119
- Thermosphere, 3.43, 9.126
- Thyroid abnormalities, 12.171, 12.181-12.183
- Time scale, fission explosion, 1.54-1.59
- TNT equivalent, 1.20, 1.45
- Trailer coach, damage, 5.80-5.84
- Transient-radiation effects on electronics (TREE), 8.73-8.88, 8.133-8.144
 characteristics, 8.73-8.76
 effects on equipment, 8.77, 8.78
 mechanism, 8.133-8.144
- Transmission factors, initial nuclear radiation, 8.72
 residual nuclear radiation, 9.120
- Transmittance, thermal radiation, 7.95-7.98, 7.101-7.104, 7.105
- Transportation equipment, damage, 5.85-5.97, 5.146, 5.147
- Trinity test, 2.36, 12.245, 12.246
- Triple point, 3.25, *see also* Mach effect
- Tritium, thermonuclear (fusion) reactions, 1.67-1.70
 in residual radiation, 12.197, 12.200
- Tropopause, 2.13, 9.126
- Troposphere, 3.40, 9.126
 fallout from, 9.130-9.134
- Tunnels, damage, 6.109
- Ultraviolet radiation, 1.73, 1.78, 2.38, 2.39, 7.75, 7.76
- Underground burst (deep), 1.39, 2.90-2.105, 6.19-6.40, 6.85-6.93
 aftershocks, 2.105, 6.20-6.27
 air blast, 6.02, 6.53
 base surge, 2.96-2.98
 cavity, 2.102, 6.85-6.88
 characteristics, 2.90-2.105
 chimney, 2.103, 6.89
 damage criteria, 6.104-6.114
 fallout, 2.98, *see also* Fallout
 fault displacement, 6.20-6.27
 fireball, 2.91
 ground motion, 6.33-6.40
 loading, buried structures, 6.104-6.111
 seismic effects, 6.19-6.27
 shallow, *see* Surface burst
 shock wave, 6.18, 6.19, 6.33
 and structures, 6.33-6.40
- Underwater burst, 1.39, 2.63-2.89, 6.41-6.69, 6.115-6.125
 air blast, 6.53, 6.68, 6.69
 base surge, radioactive, 2.76-2.79
 visible, 2.72-2.75
 characteristics, 2.63-2.79, 6.41-6.69
 cloud, 2.69
 column, 2.67, 2.68
 contamination, water, 9.53-9.58
 crack, 2.65
 crater formation, 6.60, 6.61
 damage, 6.62-6.64
 deep, 2.81-2.89

- fireball, 2.64
- hydraulic structures, damage, 6.122-6.124
- nuclear radiation, 2.74-2.79, 2.81, 2.82, *see also* Fallout
- overpressure, water, 6.41
- plume, 2.67
- shallow, 2.63-2.82
- ships, damage, 6.58, 6.63-6.69
- shock wave, 6.41-6.52, 6.62-6.69, 6.115-6.118
 - reflection, 6.43, 6.44-6.52
 - surface cutoff, 6.43
- slick, 2.65
- thermal radiation, 2.80
- water waves, 2.70, 2.71, 6.54-6.59, 6.119-6.121
- Unit-time reference dose rate, 9.16-9.23, 9.92-9.95
- Uranium fission, 1.14, 1.15, 1.18, 1.42, 1.44, 1.45, 1.72
 - hazard, 12.174
 - in weapons residues, 9.31, 9.40-9.42
- Utilities, damage, 5.98-5.121
- Vehicle, damage, 5.86-5.91, 5.146
- Wall-bearing structures, 5.27, 5.139
- Wall failure, 5.145
- Weapons, nuclear, *see* Nuclear weapons
- Weather effects, *see* Meteorological effects
- Wien's displacement law, 7.77
- Wilson cloud, 2.47-2.50, 2.66
- Wind, and fallout patterns, 9.96-9.98
- Wind (dynamic pressure), 3.07, 3.08, 3.13, 3.14, 3.16
 - velocity, 3.07, 3.55
- Wood, thermal radiation effects, 7.37, 7.38, 7.40, 7.44
- Worldwide fallout, *see* Fallout, delayed
- X-ray fireball, 2.110
- X rays, 1.73, 1.77, 1.79
 - absorption, 2.134, 7.80, 7.81, 7.92
 - degradation, 1.78, 2.38, 7.02, 7.75
 - ionization, atmospheric, 10.53, 10.57, 10.60, 10.62, 10.69
 - pancake, 2.134, 2.135, 7.91, 7.103
 - stopping altitude, 10.29
 - thermal, *see* Thermal X-rays
- Yield, explosion, 1.20, 1.21, 1.45